

Featuring Graywork and True Colors by Tula Pink

Techniques: Fussy Cutting, Pieced

Skill Level: Advanced Beginner

Finished Size:

 $81^{1}/_{2}$ " x $81^{1}/_{2}$ (2.07m x 2.07m)

Finished Block Size:

16" x 16" (40.64cm x 40.64cm)

Project designed by: Stacey Day

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting, it is recommended a sample is made to confirm accuracy.



FABRIC REQUIREMENTS (Tech edited by: Alison M. Schmidt)

	Design	Color	Item ID	Yardage
Α	Wolf of Pink Street	Carbon	PWTP256.CARBON	FQ (45.72cm x 53.34cm)
В	Wolf of Pink Street	Fog	PWTP256.FOG	FQ (45.72cm x 53.34cm)
С	Beautymark	Fog	PWTP257.FOG	FQ (45.72cm x 53.34cm)
D	Birthmark	Shadow	PWTP258.SHADOW	FQ (45.72cm x 53.34cm)
Е	Seal the Deal	Carbon	PWTP259.CARBON	FQ (45.72cm x 53.34cm)
F	Seal the Deal	Shadow	PWTP259.SHADOW	FQ (45.72cm x 53.34cm)
G	Huffin & Puffin	Whisper	PWTP260.WHISPER	FQ (45.72cm x 53.34cm)
Н	Just Bearly	Carbon	PWTP261.CARBON	FQ (45.72cm x 53.34cm)
I	Tent Stripe	Fog	PWTP069.FOG	½ yards (0.46m)
J	Pom Pom	Fog	PWTP118.FOG	3/4 yards (0.69m)
K	Pom Pom	Carbon	PWTP118.CARBON	½ yards (0.46m)
L	Tiny Dots	Fog	PWTP185.FOG	½ yards (0.46m)
М	Tiny Dots	Carbon	PWTP185.CARBON	½ yards (0.46m)
N	Disco Stripe	Whisper	PWTP231.WHISPER*	3/4 yards (0.69m)
0	Disco Stripe	Carbon	PWTP231.CARBON	2 yards (1.83m)
Р	Kinda Shady	Whisper	PWTP263.WHISPER	⅓ yards (0.31m)
Q	Kinda Shady	Fog	PWTP263.FOG	⅓ yards (0.31m)
R	Kinda Shady	Shadow	PWTP263.SHADOW	½ yards (0.46m)
S	Kinda Shady	Carbon	PWTP263.CARBON	½ yards (0.46m)
Т	Ghost Droplettes	Paper	PWTP252.PAPER	1¼ yard (1.14m)

^{*} includes binding

Backing (Purchased Separately)

44" (1.12m) wide Seal the Deal OR	Shadow	PWTP259.SHADOW	5% yards (4.69m)
108" (2.74m) wide Best Buds	Fog	QBTP019.FOG	25% yards (2.40m)

Swatches



ADDITIONAL REQUIREMENTS

- 100% cotton thread
- 89" x 89" (2.26m x 2.26m) batting

Optional but helpful:

- square rotary cutting ruler (7½" or larger)
- Spray starch/starch alternative
- Removable fabric marker



CUTTING

WOF = Width of Fabric

Fussy cutting tips

- Starch fabrics and let dry prior to cutting.
- Focus on the large animal motifs, not the small rainbowcolored elements in the background.
- Depending on the cut of yardage, the start and end points of motifs may differ from the cutting diagrams shown, so test placement of all pieces needed before beginning to cut.
- To fussy cut fabric pieces, place the ruler right side up, on the right side of a single layer of fabric, over the desired motif. If using a larger ruler, mark the desired cut size on top with tape or an erasable marker.
- You may wish to trace both pieces needed first with a removable fabric marker, then cut. If the fabric moves while tracing, place a piece of fine grit sandpaper underneath the fabric to hold secure.
- Be careful not to overcut too much beyond the ruler.

From Fabrics A-H, fussy cut from each:

(2) $7\frac{1}{2}$ " x $7\frac{1}{2}$ " squares, centered on a desired animal motif

Fussy Cutting Diagram





From Fabrics I, L, M, and S, cut from each:

(8) 2" x WOF; subcut

(16) 2" x 8½"

 $(16) 2" \times 7"$

From Fabric J, cut:

(12) 2" x WOF; subcut

 $(32) 2" \times 7"$

(32) 2" x 5½"

From Fabrics K and R, cut from each:

(8) 2" x WOF; subcut

(16) 2" x 7"

(16) 2" x 5½"

From Fabric N, cut:

enough 2½"*-wide bias strips for 346"(8.79m) bias binding

*Or your preferred cut width for bias binding

From Fabric O, cut:

(9) 2" x WOF; subcut

(32) 2" x 5½"

 $(32) 2" \times 4"$

(8**) 5½" x WOF for outer border

**Allow 1 additional WOF strip to fussy cut if planning to keep rainbow order when joining border strips.

From Fabrics P and Q, cut from each:

(5) 2" x WOF; subcut

(16) 2" x 5½"

(16) 2" x 4"

From Fabric T, cut:

(10) 2" x WOF; subcut

(20) $2" \times 16\frac{1}{2}"$ short sashing strips

(10) 2" x WOF for long sashing strips



INSTRUCTIONS

Notes:

- All seam allowances are $\frac{1}{4}$ " and pieces are sewn right sides together.
- Press all seams to the darker fabric or following directions.


Block Construction

Using the tables below, sew the 2" strips together into pairs lengthwise (Fig. 1) to make (16) each of the following Block Sections:

Block 1	Cut	Strip 1	Strip 2
Section	Size	Fabric	Fabric
1	2" x 4"	0	Q
2	2" x 5½"	Q	0
3	2" x 5½"	J	K
4	2" x 7"	K	J
5	2" x 7"	S	L
6	2" x 8½"	L	S

Block 2	Cut	Strip 1	Strip 2
Section	Size	Fabric	Fabric
1	2" x 4"	0	Р
2	2" x 5½"	Р	0
3	2" x 5½"	R	J
4	2" x 7"	J	R
5	2" x 7"	I	M
6	2" x 8½"	M	I

Fig. 1





Make 16 each.



2 Sew the Block 1 sections as shown in the **Figure 2** to the **Fabric A, D, E,** and **H** 7½" x 7½" fussy-cut squares, pressing the seams towards the just-sewn section each time. Make sure the fussy-cut motif is oriented right side up, and start with the side sections, then add the top/bottom sections. Make (2) of each motif in the center, for (8) total of Block 1.

3 Sew the Block 2 sections as shown in **Figure 3** to the **Fabric B, C, F,** and **G** 7½" x 7½ fussy-cut squares, pressing the seams towards the just-sewn section each time. Make sure the fussy-cut motif is oriented right side up, and start with the top/bottom sections, finishing with the side sections. Make (2) of each motif in the center, for (8) total of Block 2.







OUILT TOP ASSEMBLY

Follow the Quilt Layout diagram (page 8) while assembling the quilt.

- Arrange Blocks 1 and 2 into (4) rows of (4) blocks each, making sure all blocks are right-reading. Add Fabric T short sashing strips between each block, and on each end of each row. Sew together into rows and press towards Fabric T.
- Sew the **Fabric T** 2" strips together end to end. Cut (5) strips each 72" long (or the length of your block rows). Sew the rows together with a **Fabric T** sashing strip between each row, and on the top and bottom of the quilt center.
- Sew the **Fabric O** 5½" strips together end to end. If desired, fussy cut 1 end of each strip as needed to match the rainbow order of the stripes when pieced. Cut (2) side borders 72" long and (2) top/bottom borders 82" long.
- Pin the Fabric O side borders, matching ends and centers, to the sides of the quilt top. Sew, then press towards Fabric O. Repeat to add the Fabric O top/bottom borders to the top and bottom to complete the quilt top.

FINISHING

- Sew together the **Fabric N** bias binding strips end-to-end. Press seams open. Press the binding strip in half wrong sides together.
- Layer backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top after quilting is completed.
- 10 Leaving an 8" tail of binding, sew the binding to the top of the quilt through all layers matching all raw edges. Miter corners. Stop approximately 12" from where you started. Lay both loose ends of binding flat along quilt edge. Where the loose ends meet, fold them back on themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding right sides together. Trim seam to ¼" and press open. Finish sewing binding to guilt.
- Turn the binding to the back of quilt and hand-stitch in place.



Quilt Layout

